


# Poldina \_Table



Poldina is a rechargeable battery-powered cordless table lamp. A "touch" control on the head allows switching on/off, dimming, and selecting the color temperature of the light (2200 K, 2700 K or 3000 K).

It is suitable for both indoor and outdoor use (except gold, silver, and copper finishes). An electronic control system monitors the remaining autonomy and ensures a constant luminous flux until the battery runs out. Recharging is therefore optimized and always properly done. Poldina comes with a contact charging base; the battery charger is included. The lamp can be customized with a ceramic cover, to be purchased separately

Ø 11 cm  
Ø 4,3 in



10 x 10 cm  
3,9 x 3,9 in



38 cm  
14,9 in



8,8 cm  
3,4 in

1 cm  
0,4 in

LED sostituibile da utente

dimmable

IP65

## LD0340

	White	<b>B3</b>		Dark gray	<b>N3</b>
	Sage green	<b>G3</b>		Pink	<b>P3</b>
	Bordeaux	<b>X3</b>		Glossy gold	<b>O3</b>
	Gold color leaf	<b>BFO</b>		Silver color leaf	<b>BFA</b>
	Copper color leaf	<b>RFR</b>		Avio blue - Gold color leaf	<b>AFO</b>
	Black - Gold color leaf	<b>DFO</b>		Red - Gold color leaf	<b>FFO</b>
	Black	<b>D3</b>		Dark green	<b>M3</b>
				Sand	<b>S3</b>
				Avio blue	<b>A3</b>
				Red	<b>F3</b>
				Chrome	<b>C3</b>

Not suitable for outdoor use

use

Not suitable for outdoor use

use

Not suitable for outdoor use

use

Not suitable for outdoor use

use

Not suitable for outdoor use


use

Not suitable for outdoor use

use

Not suitable for outdoor use

use



DESIGN IN ITALY BY ZAFFERANO SRL, China

The company reserves the right to modify product specifications.

For more information visit [www.zafferanoitalia.com](http://www.zafferanoitalia.com)

**zafferano**

LAMPES-À-PORTER

# Poldina \_Table

Zafferano SRL - Viale dell'Industria, 26 31055 Quinto di Treviso  
- Italy [www.zafferanoitalia.com](http://www.zafferanoitalia.com)

# Poldina \_Table

## Lighting specifications

source	LED sostituibile da utente
type	SMD
total power	22 W
power LED	20 W
color temperature	2200 - 2700 - 3000 K
lumen lamp	185 - 199 - 203 lm
lumen LED	234 - 251 - 256 lm
beam angle	45°
CRI	> 80
class	F
dimmer	TOUCH DIMMER
motion sensor	NO

## Electrical specifications

classe	3
supply voltage	5Vdc max.1A
frequency	50/60 Hz
input	100-240V
output	5 Vdc max 1A
battery	2 cell li-ion battery pack mod. 18650 3,7v - 2200 ma/h
battery life	12 H.
charging time	6/7 H.

## ACCESSORIES

### LD0340RA




6 cm • 135 cm • 45 cm • 22 W  
• IP20 • 100-240V • 50/60 Hz



■ Black

### LD0350RP



33 cm • 51 cm • 58 cm • 22 W  
• IP20 • 100-240V • 50/60 Hz



■ Black

### LD0350



∅ 13 cm • 10 cm • 50/60 Hz

|||| Green stripes 00

|||| Blue stripes 02

|||| Light blue fish 04


09

|||| Yellow stripes 01

|||| Red stripes 03

10

### LD0350RB



94 cm • 94 cm • IP20 • 100-240V  
• 50/60 Hz



■ Black