

## Poldina \_Table



Poldina is a rechargeable battery-powered cordless table lamp. A "touch" control on the head allows switching on/off, dimming, and selecting the color temperature of the light (2200 K, 2700 K or 3000 K).

It is suitable for both indoor and outdoor use (except gold, silver, and copper finishes). An electronic control system monitors the remaining autonomy and ensures a constant luminous flux until the battery runs out. Recharging is therefore optimized and always properly done. Poldina comes with a contact charging base; the battery charger is included. The lamp can be customized with a ceramic cover, to be purchased separately

# Poldina \_Table

Ø 11 cm  
Ø 4,3 in



38 cm  
14,9 in

10 x 10 cm  
3,9 x 3,9 in




8,8 cm  
3,4 in

1 cm  
0,4 in

LED dimmable IP65

## LD0340

	White	<b>B3</b>		<b>R3</b>
	Dark gray	<b>N3</b>		<b>S3</b>
	Sage green	<b>G3</b>		<b>A3</b>
	Pink	<b>P3</b>		<b>F3</b>
	Bordeaux	<b>X3</b>		<b>M3</b>
	Black	<b>D3</b>		<b>O3</b> <small>Not suitable for outdoor use</small>
	Glossy chrome	<b>C3</b> <small>Not suitable for outdoor use</small>		<b>BFO</b> <small>Not suitable for outdoor use</small>
	Silver color leaf	<b>BFA</b> <small>Not suitable for outdoor use</small>		<b>RFR</b> <small>Not suitable for outdoor use</small>
	Avio blue - Gold color leaf craquelé	<b>AFO</b>		<b>DFO</b> <small>Not suitable for outdoor use</small>
	Red - Gold color leaf craquelé	<b>FFO</b> <small>Not suitable for outdoor use</small>		



**DESIGN IN ITALY BY ZAFFERANO SRL, MADE IN PRC**

Zafferano SRL - Viale dell'Industria, 26 31055 Quinto di Treviso - Italy [www.zafferanoitalia.com](http://www.zafferanoitalia.com)

# Poldina \_Table

## Lighting specifications

source	LED
type	SMD
total power	2.2 W
power LED	2.0 W
color temperature	2200 - 2700 - 3000 K
lumen lamp	185 - 199 - 203 lm
lumen LED	234 - 251 - 256 lm
beam angle	45°
CRI	> 80
class	F
dimmer	TOUCH DIMMER
motion sensor	NO

## Electrical specifications


classe	3
supply voltage	5Vdc max.1A
battery	2 cell li-ion battery pack mod. 18650 3,7v - 2200 ma/h
battery life	12 H.
charging time	6/7 H.
driver input	100-240V
driver frequency	50/60 Hz

## ACCESSORIES

### LD0340RA




6 cm • 13.5 cm • 4.5 cm • 2.2 W  
• IP20 • 100-240V • 50/60 Hz



■ Black

### LD0350RP



33 cm • 51 cm • 5.8 cm • 2.2 W  
• IP20 • 100-240V • 50/60 Hz



■ Black

### LD0350




Ø 13 cm • 10 cm • 50/60 Hz


	Green stripes	00
	Capri blue stripes	02
	Light blue fish	04
		09

	Yellow stripes	01
	Red stripes	03
	Black stripes	10

### LD0350RB



9.4 cm • 9.4 cm • IP20 • 100-240V  
• 50/60 Hz



■ Black