

Super O _Lighting module



Ø 12,5 cm
Ø 4,9 in



4,3 cm
1,7 in



LED sostituibile da utente



IP65

LD1060

White **B3** Black **N3**



DESIGN IN ITALY BY ZAFFERANO SRL, China

Zafferano SRL - Viale dell'Industria, 26 31055 Quinto di Treviso
- Italy www.zafferanoitalia.com

Super O _Lighting module

Lighting specifications


source	LED sostituibile da utente
type	SMD
total power	35 W
power LED	30 W
color temperature	2700 - 3150 - 4000 K
lumen lamp	226 - 262 - 261 lm
lumen LED	287 - 331 - 336 lm
beam angle	94°
CRI	> 90
class	F
dimmer	TOUCH DIMMER
motion sensor	NO

Electrical specifications

classe	3
input	100-240V
output	5 Vdc max 2A
battery life	100% 11 h. - 60% 18 h. - 30% 36 h. - 6% 160 h.
charging time	5 H.

ACCESSORIES

LD0300UC



4.4 cm • 4.4 cm • 3.6 cm • IP20
• 100-240V • 50/60 Hz




■ Black

LD0340RA



6 cm • 13.5 cm • 4.5 cm • 35 W
• IP20 • 100-240V • 50/60 Hz



■ Black

LD1061

Ø 3 cm • 3.9 cm • 50/60 Hz



■ White B3

■ Black N3

LD1072

Ø 15 cm • 46.2 cm • 50/60 Hz



■ White B3

■ Black N3

LD1074

Ø 15 cm • 35.7 cm • 50/60 Hz



■ White B3

■ Black N3

LD1075

53 cm • 3 cm • 12.2 cm • 300 cm
• 50/60 Hz



■ White B3

■ Black N3


Super O _Lighting module

LD1076

•500 cm •• 50/60 Hz



 White B3

 Black N3
